



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/663,415	09/16/2003	Tommy F. Grigsby	2003-IP-010777U1	2713
7590 07/21/2005 Baker Botts L.L.P.			EXAMINER	
			COLLINS, GIOVANNA M	
910 Louisiana St. Houston, TX 77005-4995			ART UNIT	PAPER NUMBER
			3672	
			DATE MAILED: 07/21/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

•						
	Application No.	Applicant(s)				
	10/663,415	GRIGSBY ET AL.				
Office Action Summary	Examiner	Art Unit				
	Giovanna M. Collins	3672				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REITHE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a lif NO period for reply is specified above, the maximum statutory perions for reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the material patent term adjustment. See 37 CFR 1.704(b).	N. R 1.136(a). In no event, however, may a repreply within the statutory minimum of thirty iod will apply and will expire SIX (6) MONTiatute; cause the application to become ABA	(30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 23 June 2005.						
, —						
closed in accordance with the practice unde	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) 1-37 is/are pending in the applicating 4a) Of the above claim(s) is/are without 5) Claim(s) is/are allowed. 6) Claim(s) 1-37 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and	drawn from consideration.					
Application Papers	·					
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119	•					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
 Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Paper No(s)/Mail Date 		Mail Date primal Patent Application (PTO-152)				

DETAILED ACTION

Double Patenting

1. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

1. Claims 1,6,16,17,27,28 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1,6,12,66-68, 70 and 82-84 of copending Application No. 10/607011 to Nguyen in view of Moradi-Araghi et al. 6,387,986 Although the conflicting claims are not identical, they are not patentably distinct from each other. Nguyen claims a sand control screen with a compressible foam element which is held compressed by a degradable wrap and thus are obviously directed to the same invention. Nguyen does not discloses the degradable wrap is made from poly (orthoester). Moradi-Araghi teaches that poly (orthoester) is a polymer that is degradable downhole (col. 3, lines 9-15). As it would be advantageous to have the wrap made of a polymer that is degradable downhole, it would be obvious to modify the degradable wrap disclosed by Nguyen to be made of poly (orthoester) as

taught by Moradi-Araghi. Therefore, the combination of Nguyen in view of Moradi-Araghi is obvious directed to the same invention

This is a <u>provisional</u> obviousness-type double patenting rejection.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 1,6-11,15-22,26-33 and 37 are rejected under 35 U.S.C. 103(a) as being obvious over Nguyen et al. 2004/0261994 (application 10/607,011) in view of Moradi-Araghi et al. 6,387,986.

The applied reference has a common inventor and assignee with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art only under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 103(a) might be overcome by: (1) a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not an invention "by another"; (2) a showing of a date of invention for the claimed subject matter of the application which corresponds to subject matter disclosed but not claimed in the reference, prior to the effective U.S. filing date of the reference under 37 CFR 1.131; or (3) an oath or declaration under 37 CFR 1.130 stating that the application and reference are currently owned by the same party and that the inventor named in the

application is the prior inventor under 35 U.S.C. 104, together with a terminal disclaimer in accordance with 37 CFR 1.321(c). This rejection might also be overcome by showing that the reference is disqualified under 35 U.S.C. 103(c) as prior art in a rejection under 35 U.S.C. 103(a). See MPEP § 706.02(I)(1) and § 706.02(I)(2).

Referring to claim 1, Nguyen discloses (fig. 5-6) a method for temporarily maintaining a compressible foam element in a compressed state against an outer surface of a downhole sand control device, comprising the steps of: (a) installing a production assembly downhole within a casing string or well bore, the production assembly comprising a degradable wrap (120) securely fitted around the compressible foam element (118) so as to cause the compressible foam element to assume a compressed configuration against the downhole sand control device, and (b) allowing the degradable downhole wrap (page 12, claim 12) to degrade thereby causing the compressible foam element to expand into contact with the casing string or well bore. Nguyen does not discloses the degradable wrap is made from poly (orthoester). Moradi-Araghi teaches that poly (orthoester) is a polymer that is degradable downhole (col. 3, lines 9-15). As it would be advantageous to have the wrap made of a polymer that is degradable downhole, it would be obvious to modify the degradable wrap disclosed by Nguyen to be made of poly (orthoester) as taught by Moradi-Araghi.

Application/Control Number: 10/663,415

Art Unit: 3672

Referring to claims 6,17, and 28, Nguyen teaches the degradable wrap is biodegradable and gradually degrades by thermal hydrolysis in the presence of the aqueous solution (page 12, claim 12).

Referring to claims 7,18,29, Nguyen discloses the wrap is in the form of a string or tape (paragraph 0014) which is helically wound around (see fig. 5) the compressible foam element.

Referring to claims 8,19,30, Nguyen discloses the wrap is forming into a tubular sheath (see fig. 5, at 120).

Referring to claims 9,20,31, Nguyen discloses the sheath is in the form of a woven cloth (paragraph 0062).

Referring to claims 10,21,32 Nguyen discloses the wrap comprises a degradable polymer consisting of homopolymners, random, block, raft and star and hyperbranched polyesters (paragraph 0063).

Referring to claims 11,22,33 Nguyen discloses the wrap comprises a degradable polymer consisting of a polylactide (paragraph 0063).

Referring to claims 15,26,37, Nguyen discloses the wrap is permeable (paragraph 0063).

Referring to claims 16 and 27, Nguyen discloses a production assembly, comprising: a base pipe (fig. 1, at 30); a sand control device (40) incorporated within, or mounted to, the base pipe; a compressible foam element (118) mounted to the sand control device; and a degradable wrap (120) securely fitted around the compressible foam element so as to cause the compressible foam element to assume a compressed

Application/Control Number: 10/663,415

Art Unit: 3672

configuration. Nguyen does not discloses the degradable wrap is made from poly (orthoester). Moradi-Araghi teaches that poly (orthoester) is a polymer that is degradable downhole (col. 3, lines 9-15). As it would be advantageous to have the wrap made of a polymer that is degradable downhole, it would be obvious to modify the degradable wrap disclosed by Nguyen to be made of poly (orthoester) as taught by Moradi-Araghi.

4. Claims 1,6,15-17,26-28, and 37 rejected under 35 U.S.C. 103(a) as being unpatentable over Miller 3,099,318 in view of Moradi-Araghi et al. 6,387,986.

Miller discloses (figs. 1 and 3) a method for temporarily maintaining a compressible foam element in a compressed state against an outer surface of a downhole sand control device, comprising the steps of: (a) installing a production assembly downhole (16) within a casing string or well bore, the production assembly comprising a degradable wrap (42) securely fitted around the compressible foam element (col. 3, lines 1-9) so as to cause the compressible foam element to assume a compressed configuration against the downhole sand control device, and (b) degrading the degradable downhole wrap (col. 5, lines 15-25) thereby causing the compressible foam element to expand into contact with the casing string or well bore. Miller does not discloses the degradable wrap is made from poly (orthoester). Moradi-Araghi teaches that poly (orthoester) is a polymer that is degradable downhole (col. 3, lines 9-15). As it would be advantageous to have the wrap made of a polymer that is degradable

downhole, it would be obvious to modify the degradable wrap disclosed by Miller to be made of poly (orthoester) as taught by Moradi-Araghi.

Referring to claims 6,17, and 28, Miller discloses the degradable wrap (40) is biodegradable and gradually degraded by thermal hydrolysis in the presence of the aqueous solution (col. 5, lines 15-25).

Referring to claims 16 and 27, Miller discloses a production assembly, comprising: a base pipe (16); a sand control device (40) incorporated within, or mounted to, the base pipe; a compressible foam element (col. 3, lines 1-9) mounted to the sand control device; and a degradable wrap (42) securely fitted around the compressible foam element so as to cause the compressible foam element to assume a compressed configuration. Miller does not discloses the degradable wrap is made from poly (orthoester). Moradi-Araghi teaches that poly (orthoester) is a polymer that is degradable downhole (col. 3, lines 9-15). As it would be advantageous to have the wrap made of a polymer that is degradable downhole, it would be obvious to modify the degradable wrap disclosed by Miller to be made of poly (orthoester) as taught by Moradi-Araghi.

Referring to claims 15,26,37, Miller discloses the wrap is permeable (col. 5, line 6-8).

5. Claims 2-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller 3,099,318 in view of Moradi-Araghi et al. 6,387,986 as applied to claim 1 and further in view of Wehunt et al. 5,507,345.

Miller, as modified, does not disclose the step of isolating a section of the production assembly. Wehunt teaches isolating a section of a production assembly to prevent undesirable fluids from entering a desirable fluid production interval (col. 5, lines 31-35). As it would be advantageous to prevent water from entering a oil production interval, it would be obvious to one of ordinary skill in the art at the time of the invention to modify the method disclosed by Miller to isolate a section of the production assembly as taught by Wehunt.

Referring to claim 3, Wehunt teaches (fig. 4) installing an isolation pipe (46) having a top end and a bottom end inside a production assembly and sealing (at 35 and 44) the isolation pipe to the production assembly.

Referring to claim 4. Wehunt teaches the isolation pipe inside the production assembly is performed after the step of installing production assembly downhole in the casing string or well bore and production has been flowing for a period of time (col. 11, lines 30-48).

Referring to claim 5, Wehunt teaches a coil tubing is employed to install the isolation pipe and to seal the top and bottom ends of the isolation pipe (col. 8, lines 52-54).

6. Claims 7-9,18-20 and 29-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller 3,099,318 in view of Moradi-Araghi et al. 6,387,986 as applied to claims 6,17 and 28 and further in view of Voll et al. 6,607,032.

Referring to claims 7,18, 29, Miller, as modified, discloses the wrap is in the form of a string or tape (col. 72-75) but does not disclose it is helically wound around the compressible form element. Voll teaches a layer that is helically wound around a filter (fig. 1, at 32). As it would be advantageous to helical wind the wrap to ensure the compressible form element stays in place as the assembly is being installed it would be obvious to one of ordinary skill in the art at the time of the invention to modify the wrap disclosed by Miller to be helically wound as taught by Voll.

Referring to claims 8,19,30, Voll teaches the forming a tubular sheath (fig. 1 at 32).

Referring to claims 9,20,31, Voll teaches the tubular sheath is form of a woven cloth.

7. Claims 10-14,21-25 and 32-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller 3,099,318 in view of Moradi-Araghi et al. 6,387,986 as applied to claims 1,16 and 27 and further in view of Sinclair 5,216,050.

Referring to claims 10,21,32 Miller, as modified does not disclose the wrap further comprises a degradable polymer consisting of homopolymners, random, block, raft and star and hyper-branched polyesters. Sinclair teaches theses types of polymers are environmentally degradable (col. 1, lines 33-36). As it would be advantageous to have a wrap that will not harm the environment, it would be obvious to one of ordinary skill in the art at the time of the invention to modify the wrap to made of degradable

Application/Control Number: 10/663,415 Page 10

Art Unit: 3672

polymer consisting of homopolymners, random, block, raft and star and hyperbranched polyesters as taught by Sinclair.

Referring to claims 11,22,33 Miller, as modified, does not disclose the wrap further comprises a degradable polymer consisting of polylactides. Sinclair teaches theses types of polymers are environmentally degradable (col. 1, lines 33-36). As it would be advantageous to have a wrap that will not harm the environment, it would be obvious to one of ordinary skill in the art at the time of the invention to modify the wrap to made of degradable polymer consisting of homopolymners, random, block, raft and star and hyper-branched polyesters as taught by Sinclair.

Referring to claims 12,23,34, Sinclair teaches the polymer comprises an aliphatic polyester having the disclosed formula (col. 2, lines 55-64).

Referring to claims, 13,24,35, Miller, as modified, does not disclose the wrap has a plasticizer. Sinclair teaches adding a plasticizer to a polymer composition improves processing characteristics during the blending and processing steps (col. 3, lines 30-35). As it would be advantageous to improve processing characteristics during the blending and processing steps, it would be obvious to one of ordinary skill in the art at the time of the invention to further modify the wrap disclosed by Miller to have a plasticizer as taught by Sinclair.

Referring to claims 14,25,36, Sinclair teaches the plasticizer comprises an oligomeric lactic acid having the disclosed formula (col. 3, lines 13-28).

Response to Arguments

Application/Control Number: 10/663,415 Page 11

Art Unit: 3672

8. Applicant's arguments with respect to claims 1-37 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Giovanna M. Collins whose telephone number is 571-272-7027. The examiner can normally be reached on 6:30-3 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David J. Bagnell can be reached on 571-272-6999. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/663,415

Art Unit: 3672

Page 12

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

gmc

David Bagnell
Supervisory Patent Examiner
Technology Center 3670